

Cloy

P

BEST AVAILABLE COPY

PATENT NUMBER

(Attached in pocket on right inside flap)

-	- 2	, ,
		χ. Δ
		e e
		0
		20
	*	* 20 44 * 20 4 * 20 4

S. A.

EXAMINER ART UNIT CONT/PRIOR CLASS SUBCLASS APPLICATION NO. Soderquist 1743 436 09/910521, 125 **APPLICANTS** Jack Smith Method for detection of bromine in urine using liquid chemistry, dry chemistry test pads, and lateral flow TILE

And the second of the second o	ISSUING CLASSIFICATION
ORIGINAL	CROSS REFERENCE(S)
CLASS SUBCLASS	CLASS SUBCLASS (ONE SUBCLASS PER BLOCK)
proper comment of the second	
INTERNATIONAL CLASSIFICATION	· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·
V	
	一 一
	☐ Continued on Issue Slip Inside File Jacket

TERMINAL DISCLAIMER	DRAWINGS			CLAIMS*ALLOWED		
	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.G	
The term of this patent subsequent to (date) has been disclaimed. The term of this patent shall not extend beyond the expiration date of U.S Patent. No.	(Assistant I	Examiner)	(Oate)		SUE FEE Dâte Paid	
* * * * * * * * * * * * * * * * * * * *	(Primary i	Examiner)	(Date)	271. 9	* * * * * * * * * * * * * * * * * * * *	
The terminalmonths of this patent have been disclaimed:	(Legal Instrum	ents Examiner)	(Date)	ISSUE BA	TCH NUMBER	
WARNING: The information disclosed herein may be re	stricted. Unauthorized	disclosure may be to authorized emp	prohibited by the	United States Code Title	35, Sections 122, 181 and 3	